


7th advanced WS-4 Task.


①

The body first moves 6m north, 8m east




$$\text{Displacement} = 6\hat{j} + 8\hat{i}$$

$$|\text{Displacement}| = \sqrt{6^2 + 8^2} = 10 \text{ m}$$



$$\Rightarrow \text{displacement} = \sqrt{10^2 + 10^2} = 10\sqrt{2} \text{ m}$$

②




$$\text{Displacement} = 20\hat{i} + 10\hat{j}$$

$$= \sqrt{20^2 + 10^2} = \sqrt{400 + 100}$$

$$= \sqrt{500} = 10\sqrt{5} = 10 \times 2.25 = 22.5 \text{ m}$$

③



$$\begin{aligned} \text{Displacement} &= 30\hat{j} + 20\hat{i} - 30\hat{j} - 30\hat{i} \\ &= -10\hat{i} \end{aligned}$$

$$|\text{Displacement}| = 10 \text{ m}$$

$(-\hat{i})$ indicates direction is along west

4)



Time = 40 sec


At the end of 2 min 20 sec means $2 \times 60 + 20$
 $= 120 + 20$
 $= 140 \text{ sec.}$

For every 40 sec the body completes one rotation

In 120 sec 3 rotations, remaining 20 sec. half rotation

Completed But $\therefore$ Displacement = Diameter = $2R$

5)



For half rotation the contact point (D) has a displacement = ~~2R~~ $2R$

$$\text{Net displacement} = \sqrt{(\pi R)^2 + (2R)^2} = \sqrt{\pi^2 R^2 + 4R^2} = R\sqrt{\pi^2 + 4}$$

$R = 1 \text{ m}$

$$\text{Net displacement} = \sqrt{\pi^2 + 4}$$

6)

$$V_B = 10 \text{ m/s}, t = 100 \text{ sec.}; a_B = 0$$

Distance travelled by car = 1 km + Distance travelled by bus

$$V_C \times t = 1000 + V_B \times t$$


$$V_C \times 100 = 1000 + 10 \times 100$$

$$V_C = 10 + 10 = 20 \text{ m/s}$$

(2)


$$d = 200 \text{ m}$$

$$V_f = 1 \text{ kmph} ; V_{sw} = 2 \text{ kmph}$$



$$t = \frac{d}{\sqrt{V_{sw}^2 - V_f^2}} = \frac{0.2}{\sqrt{2^2 - 1^2}} = \frac{0.2}{\sqrt{3}} = 0.178 \text{ hr}$$

(8)



Resultant velocity

$$= 8(-\hat{j}) + 12\hat{i} + 3\hat{i} + 3\hat{j}$$

$$= -8\hat{j} + 15\hat{i} + 3\hat{j}$$

$$= -5\hat{j} + 15\hat{i}$$

$$|\text{velocity}| = \sqrt{(-5)^2 + (15)^2} = \sqrt{25 + 225} = \sqrt{250} = 15.77 \text{ m/s}$$


(9)

$$\text{Given } R = 1.5 \text{ cm}$$

$$\text{Distance travelled} = 2\pi r = 2 \times \frac{22}{7} \times 1.5 = \frac{66}{7}$$

$$\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{\frac{66}{7}}{60} = \frac{1.1}{7} = 1.57 \times 10^{-3} \text{ m/s}$$

(10)



$$\text{Total distance} = 2 \text{ km} + 4 \text{ km} + 6 \text{ km} + 4 \text{ km} = 16 \text{ km}$$

$$\text{Displacement} = 2\hat{j} + 4(-\hat{i}) - 6\hat{j} + 4\hat{i} = -4\hat{j}$$


$$|\text{displacement}| = 4 \text{ km}$$

(11)

For 1 Day the displacement of Earth is 0.
because Earth completes one rotation.

(12)

(13)



Total distance = $7 + 5 = 12$ km.

his displacement = $\sqrt{7^2 + 5^2}$

$$= \sqrt{49 + 25} = \sqrt{74} \\ = 8.6 \text{ km}$$

(14)

(a)

$$36 \text{ kmph} = 36 \times \frac{5}{18} = 10 \text{ m/s}$$

$$15 \text{ m/s} = 15 \times \frac{18}{5} = 54 \text{ kmph}$$

$$1 \text{ km/min} = \frac{1000}{60} = 16.66 \text{ m/s}$$

(15)


$$r = 70 \text{ m}$$

for one rotation

$$\text{Distance} = 2\pi r = \text{Circumference} \\ = 2 \times \frac{22}{7} \times 70 = 440 \text{ m}$$

For half revolution

$$\text{displacement} = \text{Diameter} \\ = 2 \times r \\ = 2 \times 70 \\ = 140 \text{ m}$$



Acc to given question, the body completes one rotation.

$$\begin{aligned}\text{Distance} &= \text{Perimeter} \\ &= 3 \times \text{side length} \\ &= 3 \times 10 = 30 \text{ cm}\end{aligned}$$

Displacement = 0 because the body back to same corner from where it started.

(17)

In both cases distance covered is same.

$$v_1 t_1 = v_2 t_2$$

$$\Rightarrow 60 \times 60 = v_2 \times 40$$

$$\Rightarrow 360 = 4 v_2$$

$$\Rightarrow v_2 = 90 \text{ kmph}$$

(18)

$$(a) \quad 1 \text{ m/sec} = \frac{18}{5} \text{ kmph} = \frac{18}{5} \text{ kmph} = 3.6 \text{ kmph}$$

$$18 \text{ kmph} = 18 \times \frac{5}{18} \text{ m/s} = 5 \text{ m/s}$$

$$20 \text{ cm/sec} = 20 \times 10^{-2} \text{ m/s} = 0.2 \text{ m/s}$$


$$1 \text{ m/sec} = 100 \text{ cm/sec}$$

$$3 \text{ m/sec} = 3 \times \frac{18}{5} \text{ kmph} = 10.8 \text{ kmph}$$

L Task
CVA

②
 $r = 10 \text{ cm}$
of the m.

⑩



$$\text{Distance} = 2\hat{j} + 3\hat{j} = 5\hat{j}$$


$$= 2\text{m} + 3\text{m} = 5\text{m}$$

$$\text{Displacement} = 2\hat{j} - 3\hat{j} = -\hat{j}$$

$$|\text{Displacement}| = |-\hat{j}| = 1\text{m}$$

SAA

⑪




$$\text{Displacement} = 400\hat{j} + 300(-\hat{j}) = 100\hat{j}$$

$$|\text{Displacement}| = 100\text{m}$$

$$\text{The glider } 1200\text{m upwards displacement} = 100 + 1200 = 1300\text{m}$$

⑫



For complete rotation time = 40 sec.

$$\text{Distance} = 10\text{m}$$

$$\text{At the end of } 2 \text{ min } 20 \text{ sec. } [2 \times 60 + 20 = 140 \text{ sec}]$$

The body makes 3 rotations completely and half rotation is remaining 80 sec. so the body reaches diagonally opposite corner in 80 sec.

$$\text{Displacement} = \sqrt{\text{side}^2 + \text{side}^2} = \sqrt{10^2 + 10^2} = 10\sqrt{2}\text{m}$$

$$= 10 \times 1.414$$

$$= 14.14\text{m}$$

④ $r = 10 \text{ cm.}$

if the min hand moves from 10 am to 10:10 am

time = 10 min distance covered for 10 min

speed = distance / time

$$= \frac{15.7}{10 \times 60}$$

= $\frac{1}{4} \times$ circumference of circle

$$= \frac{1}{4} \times 2\pi r$$

$$= \frac{1}{4} \times \frac{22}{7} \times 10 \times 10^2$$

$$= \frac{110}{7} \times 10^2 = \frac{101}{7} \approx 14.4 \text{ cm}$$

$$= 0.157 \text{ m (or) } 15.7 \text{ cm}$$

⑤

in each direction displacement $x_1 = vt$

$$= 60 \times 1 = 60 \text{ km}$$

in south direction displacement $x_2 = vt$ (in $\hat{j}$)

$$= 60 \times 30 \text{ min (in } \hat{j})$$

$$= 60 \times \frac{30}{60} \text{ hr (in } \hat{j})$$

$$= 30 \hat{j} \text{ km}$$

$$\text{Net displacement} = \sqrt{60^2 + (30)^2} = 30\sqrt{2^2 + 1} = 30\sqrt{5} \text{ km}$$

⑦

$$t_{\text{me}} = 0.46 \text{ s} ; s = 18.4 \text{ m.}$$

$$\text{speed} = \frac{\text{distance}}{t_{\text{me}}} = \frac{18.4}{0.46} = \frac{1840}{46} = 40 \text{ m/s}$$

⑧

$$\text{Speed} = 1.4 \text{ m/s}$$

$$\text{distance} = 805 \text{ m}$$

$$t_{\text{me}} = \frac{\text{distance}}{\text{velocity}} = \frac{805}{1.4} = 146.42 \text{ s}$$

⑨

$$t_{\text{me}} = 0.25 \text{ h} = \frac{1}{4} \text{ hr} ; \text{ displacement} = 16 \text{ km}$$

$$\text{Velocity} = \frac{\text{displacement}}{t_{\text{me}}} = \frac{16}{\frac{1}{4}} = 64 \text{ kmph south.}$$

⑩

$$s_1 = 428 \text{ m} \rightarrow \text{west}$$

$$\text{velocity} = 1.7 \text{ m/s.}$$

$$t_{\text{me}} = \frac{\text{distance}}{\text{velocity}} = \frac{428}{1.7} = 251.76 \text{ s}$$

⑪

(a)

$$\text{Velocity} = 45 \text{ kmph}$$

$$t = 1 \text{ hr}$$

$$\text{distance} = v \times t$$

$$= 45 \times 1$$

$$= 45 \text{ km}$$

(b)

$$v = 45 \times \frac{1000}{60} \text{ kmph}$$

$$= 45 \times \frac{1000}{60} \text{ m/min}$$

$$= 750 \text{ m/min}$$

$$d = v \times t$$

$$= 750 \times 1 = 750 \text{ m}$$

(c)

$$v = 45 \text{ kmph}$$

$$= 45 \times \frac{5}{18}$$

$$= \frac{25}{2} = 12.5 \text{ m}$$

$$d = v \times t$$

$$= 12.5 \times 1$$

$$= 12.5 \text{ m}$$



(15)

Given $a = 8\text{ m}$, $b = 6\text{ m}$


From $A \rightarrow B \rightarrow C \rightarrow D$ Displacement = $D - A = 6\text{ m}$

From $A \rightarrow C$ Displacement = $\sqrt{a^2 + b^2} = \sqrt{8^2 + 6^2} = 10\text{ m}$

time = 5 sec
velocity = $\frac{\text{Displacement}}{\text{Time}}$

= $\frac{10}{5} = 2\text{ sec}$

(16)



Distance = $A B + B C = 4\text{ km} + 2\text{ km} = 6\text{ km}$

Displacement = shortest distance b/w A and C = 2 km

(17)

Diameter = 200 m $\Rightarrow$ radius = 100 m

- For one rotation distance = Circumference = $2\pi r = 2 \times \frac{22}{7} \times 100 = \frac{4400}{7}$

$t = 5\text{ sec}$
speed = $\frac{\text{Distance}}{\text{Time}} = \frac{\frac{4400}{7}}{5} = \frac{880}{7} \approx 125.7\text{ m/s}$