1	 l3. PREPARATI	ON, PROPER	TIES & USES	OF BASES / ALKALI				
		SC	DLUTIONS					
		TEAC	HING TASK					
	rions							
1.	Chemical name			(FA & SA- 2 Marks)				
_	1) $CaCl_2$	2)NaCl	3) Na_2CO_3	4) <i>CaOCl</i> ₂				
_	wer:4	ama of blooch	ing porridon is	CoOCI (Coloium over				
Soit	chloride)	ame or bleach	ing powder is	CaOCl ₂ (Calcium oxy				
2.	$Ca(OH)_2 + Cl_2 \rightarrow$ 1)CaOCl ₂	-	3)CaO	4)Ca				
Ans	wer:1		SjCaO	тјСа				
Solu	ution:This is the rea	action for the for	mation of bleach	ing powder:				
	$Ca(OH)_2 + C$	$Cl_2 \rightarrow CaOCl_2 + H_2$	0					
3.	An alkali solution having reletively less percentage of alkali in its aqeous solution is called							
	1) Dilute alkali 3) both A & B		2) Concentra4) None	2) Concentrated alkali4) None				
_	wer:1	1	• • • •	C 11 11 1 1				
Solu	solution is referr	ed to as a dilute		age of alkali in its aqueous ates that a small amount of ulting in a lower				
4.	All properties of dissociation of the	ne alkali in wate	r (I	the formed on FA & SA- 3 Marks / 4 Marks)				
_	1) H ⁺ ions	2) H_2O^+ ions	3) H ⁺ ions	4) OH ⁻ ions				
	slippery, and ne	utralize acids, ar e alkali dissociat	re due to the pres es in water. For e	to turn red litmus blue, feel sence of hydroxide ions (OH-) example, sodium hydroxide				
5.	What is the prod 1) NaOH wer:4	luct formed when 2) Na ₂ O	n potassium oxido 3) Ca(OH) ₂	e reacts with water? 4) KOH				
		um ovide (K O) 1	reacts with water	(H (I) it forms notassium				

hydroxide (KOH). The balanced chemical equation for this reaction is:

$$K_2O + H_2O \rightarrow 2KOH$$

- 6. Which of the following are alkali substances
 - 1) NaOH
- 2) KOH
- 3) Al(OH)₃
- 4) All

Answer:1,2

Solution:NaOH (Sodium hydroxide) and KOH (Potassium hydroxide) are considered alkalis because they are soluble in water and produce hydroxide ions (OH-) when dissolved.

 $Al(OH)_3$ (Aluminum hydroxide) is not considered an alkali because it is in soluble in water. While it is a base, alkalis are a subset of bases that are water-soluble.

7. From the following which is the mono basic acid.

1)sulphuric acid 2)acetic acid

3)phosphoric acid

4)all

Answer:2

Solution: A mono basic acid is an acid that can donate only one proton (H⁺ ion) per molecule in an aqueous solution. Among the given options:

Sulphuric acid (H₂SO⁴) is dibasic, as it can donate two protons.

Acetic acid (CH₃COOH) is mono basic, as it donates only one proton.

Phosphoric acid (H₂PO₄) is tribasic, as it can donate three protons.

8. From the following which is the strong base. (FA & SA- 5 Marks / 8 Marks)

1) $Ca(OH)_2$

- 2)KOH
- 3) *NH*₄*OH*
- 4) $Mg(OH)_2$

Answer:2

Solution:Strong bases are those that completely dissociate in water to give a high concentration of OH⁻ ions.

Weak bases only partially dissociate.

Comparison:

KOH — Strong base (completely ionizes in water).

 $Ca(OH)_2$ — Strong, but slightly less soluble; still considered strong base.

NH₄OH — Weak base (partially ionizes).

Mg(OH)₂ — Sparingly soluble, weak base.

Among these, KOH is the strongest because it is highly soluble and completely dissociate

JEE ADVANCED LEVEL QUESTIONS

Multi Correct Choice Type:

- 11. Which of the following is/are bases/s?
 - 1) Magnesium oxide

- 2) Copper oxide
- 3) Aluminium hydroxide
- 4) Sodium oxide

Answer:1,2,3,4

Solution:A) Magnesium oxide (MgO)

Reacts with acids to form salt and water \rightarrow Basic oxide

B) Copper oxide (CuO)

Reacts with acids to form salt and water → Basic oxide

C) Aluminium hydroxide (Al(OH)₃)

Amphoteric (can act as both acid and base), but generally considered a base in many contexts, especially in neutralization reactions with acids

D) Sodium oxide (Na₂O)

Reacts with water to give NaOH (strong base) → Basic oxide

All of these can act as bases in acid-base reactions.

Statement Type:

- A) Both the statements ar **TRUE** and **Statement** -II is the correct explanation of **STATEMENT** I
- B) Both the statements are **TRUE** and **Statement** -II is not the correct explantion of Statement -I
- C) Statement -I is **TRUE** and Statement -II is **FALSE**
- D) Statement -Iis FALSE and Statement -II is TRUE
- 12. **Statement I** : All oxides and hydroxides of metals are bases.
 - **Statement II**: The substances which react with acids to form salt and water as only products are called bases.

Answer:D

Solution:Statement I: All oxides and hydroxides of metals are bases.

This is false because some metal oxides/hydroxides are amphoteric (e.g.,

 Al_2O_3 , ZnO, $Al(OH)_3$, Zn(OH)₂) and some are acidic (e.g., CrO_3 , Mn_2O_7).

Statement II: The substances which react with acids to form salt and water as only products are called bases.

This is true — it's the standard Bronsted-Lowry / Arrhenius definition of a base in a neutralization reaction.

- 13. **Statement I**: The oxides and hydroxides of sodium and potassium are strong bases.
 - **Statement II** : Sodium hydroxide and potassium hydroxide are not soluble in water

Answer:C

Solution:Statement I: The oxides and hydroxides of sodium and potassium are strong bases.

True — NaOH and KOH are strong bases; Na2O and K2O form strong bases in water.

Statement II: Sodium hydroxide and potassium hydroxide are not soluble in water.

False — they are highly soluble in water.

(6th Class)

Comprehension type

The substances which react with acids to form salt and water as the only products are called bases.

- 14. Ammonia liquor is
 - 1) Ammonia chloride

- 2) Ammonium bicarbonate4) Ammonium hydroxide
- 3) Ammonium carbonate
- Answer:4

Solution: "Ammonia liquor" generally means an aqueous solution of ammonia, which forms ammonium hydroxide (NH,OH) in water.

- 15. What is the product formed when potassium oxide racts with water?
 - 1) KOH
- 2) K₂O
- 3) $Ca(OH)_2$
- 4) Ca(OH),

Answer:1

Solution:Potassium oxide (K_2O) reacts with water: $K_2O + H_2O \rightarrow 2KOH$

Integer Type:

16. The number of Hydroxyl ions (OH⁻) furnished by molecule of an Akali on complete dissociation in water is called acidity of base.

Answer:1

Solution: Acidity of a base = the number of OH⁻ ions furnished by one molecule of a base on complete dissociation in water.

17. Alkalies classified into types based on strength.

Answer:2

Solution:Based on strength: Strong alkali and Weak alkali $\rightarrow 2$ types.

Matrix Matching Type:

- 18. **Column-I**
 - a) KOH
 - b) NH₄OH
 - c) NaOH
 - d) Ca(OH)₂

Column-II

- 1) Monoacidic base
- 2) Strongalkali
- 3) Diacidic base
- 4) Weak alkali
- 5)Tartaric acid

Answer:a-1,2,b-1,4,c-1,2,d-3

Solution:

- a) KOH
- b) NH₄OH
- c) NaOH
- d) Ca(OH)₂

- 2) Strongalkali 1) Monoacidic base
- 4) Weak alkali 1) Monoacidic base
- 2) Strongalkali 1) Monoacidic base
- 3) Diacidic base

LEARNERS TASK

CONCEPTUAL UNDERSTANDING QUESTIONS(CQU'S)

- 1. NaoH is an example for
 - 1) Strong Base

- 2) Mono acidic alkali
- 3) Weak acid 4) A and B only.

Answer:4

Solution:NaOH is a strong base and also a mono acidic alkali (one OH? per molecule).

- 2. Which of the following is used as 'antacid'
 - 1) Calcium hydroxide

2) Magnesium hydroxide

3) Sodium hydroxide

4) None

Answer:2

Solution: Magnesium hydroxide is commonly used as an antacid to neutralize excess stomach acid. It is the active ingredient in products like milk of magnesia.

- 3. Formula of slaked lime
 - 1) $Mg(OH)_2$
- 2) $Ca(OH)_2$
- 3) NaOH
- 4) CaO.

Answer:2

Solution:Slaked lime is Ca(OH)₂.

- 4. The Number of hydroxyl ions (OH-) furnished by one molecule of an alkali is called as
 - 1) acidity
- 2) Basicity
- 3) Atomcity
- 4) None

Answer:1

Solution:The number of hydroxyl ions produced by one molecule of an alkali on complete dissociation is called as acidity of Bases.

- 5. Which of the following are correct statements
 - 1) Bases conduct electricity in solution
 - 2) Alkalis bitter in taste
 - 3) Bases Turns red litmus blue
 - 4) All the above.

Answer:4

Solution:1) Bases conduct electricity in solution — True (ions present).

- 2) Alkalis bitter in taste True.
- 3) Bases turn red litmus blue True.
- 6. Choose the false statements:
 - 1) Na₂O is a common base.
- 2) NaOH is a common base.
- 3) CuO is a common alkali.
- 4) Al(OH)₃ is a common alkali.

Answer:3,4

Solution:3) CuO is a common alkali. 4) Al(OH)₃ is a common alkali. — Both are false

Acid used in the stain remover? 7.

1) Oxalic acid

- 2) Boric acid
- 3) Phosphoric acid 4) Sulphuric acid

Answer:1

Solution: Oxalic acid is commonly used in stain removers due to its ability to break down and remove certain types of stains, such as rust, ink, and tannin stains. It acts as a reducing agent and is effective in cleaning fabrics and surfaces.

8. LiOH is a

- 1) Mono basic
- 2) Dibasic
- 3) Tribasic
- 4) None

Answer:1

Solution:LiOH provides one OH? per formula unit.

Which of the following is strong Alkali? 9.

- 1) KOH
- 2) NH₄OH
- 3) Ca(OH)
- 4) Mg (OH)

Answer:1

Solution: Strong alkalis, like KOH (potassium hydroxide) and NaOH (sodium hydroxide), completely dissociate in water, releasing a large amount of hydroxide ions (OH⁻).

 $3Fe + H_2O(steam) \xrightarrow{\Delta} ? + H_2 \uparrow$ 10.

- 3) Fe_3O_4
- 4) Fe

Answer:3

Solution: $3Fe + 4H_2O$ (steam) $\rightarrow Fe_2O_4 + 4H_2$

JEE MAINS LEVEL QUESTIONS

- Acid is used in the washing eyes? 1.
 - 1) Oxalic acid
- 2) Citric acid
- 3) Acetic acid
- 4) Boric acid

Solution:Boric acid is commonly used in eye washes due to its mild antiseptic properties.

Acid used in the De-scaling process? 2. (FA & SA- 3 Marks / 4 Marks)

1) dil. HCl

- 2) dil.H₂SO₄ 3) H₂CO₃
- 4) HNO₃

Answer:1

Solution: Dilute hydrochloric acid (HCl) is often used for de-scaling, as it effectively dissolves mineral deposits.

3. An Alkali solution having a relatively high percentage of alkali in its aqueous solution is called

1) Strong alkali

- 2) Weak alkali
- 3) Concentrated alkali 4) Dilute alkali

Solution: A solution with a high percentage of alkali is referred to as concentrated.

- Which of the following is a Triacidic Base? 4. 1) Fe(OH)₃
 - 2) Cu(OH)₂
- 3) H_3PO_4
- 4) H_2SO_4

(FA & SA- 5 Marks / 8 Marks)

Answer:1

Solution: A triacidic base furnishes three hydroxide ions (OH). Fe(OH), (iron(III) hydroxide) is triacidic.

 $4K+O_2 \rightarrow \dots$ 2) $2K_2O$ 5.

Answer:2

Solution: The balanced equation for potassium reacting with oxygen is $4K + O_2 \rightarrow 2K_2O$.

6. Ammonia gas dissolved in water produces

Answer:2

Solution: Ammonia (NH₃) dissolves in water to form ammonium hydroxide (NH₄OH).

7. Metal carbonates on strong heating produces

Answer:2

Solution: Metal carbonates decompose upon heating to produce carbon dioxide gas.

8. $K_2O + H_2O \rightarrow ?$

Answer:1

Solution: The reaction between potassium oxide (K2O) and water (H2O) produces potassium hydroxide (KOH). The balanced chemical equation is:

$$K_2O + H_2O \rightarrow 2KOH$$

9. Which of the following metals produces hydrogen gas on steam?

Answer:3

Solution: Magnesium (Mg) reacts with steam to produce hydrogen gas.

All metal oxides are 10.

(FA & SA- 2 Marks)

- 1) Alkalies
- 2) Bases
- 3) Acids
- 4) Salts

Answer:2

Solution: Metal oxides are generally basic in nature.

JEE ADVANCED LEVEL QUESTIONS

Multi Correct Answer Type

Which of the following is a Diacidic Alkali/Base

- 1) Ca(OH)
- 2) $Mg(OH)_2$
- 3) Cu(OH)₂
- 4) Fe(OH)₃

Answer: 1, 2, 3

Solution: A diacidic base (or dibasic base) furnishes 2 OH ions per molecule on complete dissociation.

A) $Ca(OH)_2 \rightarrow 2 OH^- ions \rightarrow diacidic base$

Chemistry : Bases - Preparation, Properties and Uses

- (6th Class)
 - $\overline{\text{B)}} \text{ Mg(OH)}_{2} \rightarrow 2 \text{ OH}^{-} \text{ ions } \rightarrow \text{ diacidic base}$
 - C) $Cu(OH)_{2}^{2} \rightarrow 2 OH^{2} ions \rightarrow diacidic base$
 - D) $Fe(OH)_3^2 \rightarrow 3 OH^2 ions \rightarrow triacidic base$
- 12. Sulphuric acid used in the
 - 1) Used in the batteries
- 2) Used in the fertilizers

3) Used in the dyes

4) Used in the De - scaling

Answer: 1,2,3,4

Solution:Sulphuric acid (H₂SO₄) is widely used in:

- A) Batteries (lead-acid battery)
- B) Fertilizers (for making ammonium sulphate, superphosphate)
- C) Dyes (used in chemical processing of dyes)
- D) De-scaling (used for removing rust and scale)

Statement Type:

- A) Both the statements ar **TRUE** and **Statement -II** is the correct explanation of **STATEMENT** I
- B) Both the statements are **TRUE** and **Statement -II** is not the correct explantion of Statement -I
- C) Statement -I is TRUE and Statement -II is FALSE
- D) Statement -Iis FALSE and Statement -II is TRUE
- 13. Statement I
- : The oxides and hydroxides of all metals are weak bases.
- Statement II
- : Ammonium hydroxide obtained by dissolving ammonia gas
 - in water is a weak base.

Answer:D

Solution: Statement I: The oxides and hydroxides of all metals are weak bases.

False — Some metal oxides/hydroxides are strong bases (e.g., NaOH, KOH).

Statement II: Ammonium hydroxide obtained by dissolving ammonia gas in water is a weak base.

True — NH₄OH is a weak base (partial dissociation).

- 14. Statement I
- : The oxides of metals are commonly called basic oxides.
- Statement II
- : The basic oxides react with acids to form salt and water as
 - only products.

Answer:A

Solution: Statement I: The oxides of metals are commonly called basic oxides.

True in general (most metal oxides are basic, except amphoteric/acidic ones, but "commonly called" is acceptable).

Statement II: The basic oxides react with acids to form salt and water as only products.

True — definition of basic oxide.

Also, Statement II correctly explains why they are called basic oxides.

Comprehension type:

All carbonate metals (except Na_2CO_3 , K_2CO_3) on heating strongly decompose to form their respective metallic oxides and carbon dioxide gas.

15. Carbonate metal which will not decompose on strong heating also.

- 1) $K_{o}CO_{o}$
- 2) CaCO₂
- 3) ZnCO₂
- 4) CuCO₂

Answer:1

Solution: Thermal stability of metal carbonates increases down the reactivity series (for Group 1 metals, the carbonates are very stable).

 Na_2CO_3 and $K_2CO_3 \rightarrow$ do not decompose on strong heating. $CaCO_3$, $ZnCO_3$, $CuCO_3 \rightarrow decompose to metal oxides + <math>CO_3$

16.
$$ZnCO_3 \xrightarrow{heat} ? + ?$$

- 1) ZnO, CO_2 2) Zn, CO_2 3) Zn CO_2 , O_2 4) Zn, O_2

Answer:1

Solution: $ZnCO_3 \xrightarrow{heat} ZnO + CO$

Integer Type:

Di acidic base contain number of Hydroxyl ions to react with one 17. molecule acid.

Answer:2

Solution: A diacidic (dibasic) base has 2 hydroxyl (OH) ions per molecule — it can neutralize 2 H- ions from an acid.

18.
$$Na + 2H_2O \rightarrow 2NaOH + H_2 \uparrow$$
Answer:2

Answer:2

Solution: $2Na + 2H_2O \rightarrow 2NaOH + H_2$

Each 2 Na atoms react with 2 H₂O molecules to form 2 NaOH + H₂

Matrix Matching Type:

- 19. Column-I
 - a) 4Na + O₂
- Column-I 1) 2NaOH
- b) $2Mg + O_{2}$
- 2) 2 KOH
- c) $Na_{9}O + \bar{H_{9}}O$
- 3) 2Na₀O
- d) $K_2\bar{O} + H_2\bar{O}$
- 4) 2MgO
- 5) 2NaO

Answer:a-3, b-4, c-1, d-2

Solution:

- a) 4Na + O₂
- 3) 2Na₂O
- b) $2Mg + O_{2}$
- 4) 2MgO
- c) $Na_2O + H_2O$
- 1) 2NaOH
- d) $K_0O + H_0O$
- 2) 2 KOH

KEY

				TEACHING	TASK				
			JEE MAINS	LEVEL QU	ESTIONS				
1	2	3	4	5	6	7	8		
4	1	1	4	4	1,2	2	2		
			JEE ADVA	NCED LEVE	L QUESTIOI	NS			
11	12	13	14	15	16	17	18		
1,2,3,4	D	С	4	1	1	2	a-1,B,b-1,4	4,c-1,2,d-3	
				LEARNERS	TASK				
			CONCEPTUAL UNDERSTANDING QUESTIONS(CQU'S)						
1	2	3	4	5	6	7	8	9	10
4	2	2	1	4	3,4	1	1	1	3
			JEE MAINS LEVEL QUESTIONS						
1	2	3	4	5	6	7	8	9	10
4	1	3	1	2	2	2	1	3	2
			JEE ADVANCED LEVEL QUESTIONS						
11	12	13	14	15	16	17	18	19	
1,2,3	1,2,3,4	D	Α	1	1	2	2	a-3, b-4, c	−1, d−2

WORKSHEET BASED ALKALI / BASE PROPERTIES & USES TEACHING TASK JEE MAINS LEVEL QUESTIONS Single Answer Type (FA & SA- 2 Marks) 1. $2NaOH + Zn \rightarrow \dots + H_2$. 1) Zn(OH), 2) NaO 3) $Na_{2}ZnO_{2}$ 4)none Answer:3 Solution: $2NaOH + Zn \rightarrow Na_{2}ZnO_{2} + H_{2} \uparrow$ 2. Calcium hydroxide is used in the manfacture of. 1)plaster of paries 2)bleaching powder 4)synthetic fibre 3)soap Answer:2 Solution: Calcium hydroxide is used in the manufacture of bleaching powder. 3. Bases are 1) Good conductors of electricity 2) Bad conductors of electricity 3) Neutral 4) Bad conductors of heat Answer: 1 Solution: When dissolved in water, bases dissociate into ions, which can carry an electric current, making them good conductors. 4. Bases turns red litmus to 1) Red 2) Blue 3) Pink 4) Yellow Answer:2 Solution:Bases turn red litmus to Blue. 5. Alkalies are 1) Sour taste 2) Bitter taste 3) Sweet taste 4) Spicy taste Answer:2 Solution: Alkalies are Bitter taste. 6. Bases reacts with acids to form (FA & SA- 3Marks/4 Marks) 1) Salts 2) Oxides 3) Hydroxides 4) Non-metallic oxides Answer:1 Solution: Bases react with acids to form Salts and water.

7. Slaked lime is a

1) Calcium Hydroxide

2) Potassium Hydroxide

3) Sodium Hydroxide

4) Lithium Hydroxide

Answer: 1

Solution:Slaked lime is Calcium Hydroxide.

8. A Base used in the synthesis of "Rayan"?

(FA & SA- 5 Marks/8 Marks)

- 1) KOH
- 2) NaOH
- 3) Ca(OH)
- 4) Mg(OH)₀

Answer:2

Solution: NaOH (used in viscose process).

- 9. $KOH + CO_{2} \rightarrow$

 - 1) $K_2CO_3+H_2O$ 2) $K_2O+C_2O+H_2O$ 3) KO_2+H_2O 4) $K_2CO_3+H_2O+CO_2$

Answer:1

Solution: $2KOH + CO_2 \rightarrow K_2CO_3 + H_2O$

- When alkalis are warmed with Ammonium salts, they liberated 10.
 - 1) H_oGas
- 2) CO₂Gas
- 3) NH₃Gas
- 4) NH₄Gas

Answer:3

Solution: When alkalis are warmed with ammonium salts, they liberate NH_3 Gas.

JEE ADVANCED LEVEL QUESTIONS

Multi Correct Choice Type:

- NaOH used in the 11.
 - 1) Manufacture of soap
 - 2) Manufacture of paper
 - 3) Manufacture of Bleaching powder
 - 4) Cure indigestion

Answer:1,2

Solution: NaOH (Sodium hydroxide) is a strong alkali used in:

Soap making (saponification)

Paper industry (pulping process)

It is not used in making bleaching powder (that uses Ca(OH), and Cl₂).

It is not used to cure indigestion (that uses weak bases like Mg(OH)₂)

Statement Type:

- A) Both the statements ar **TRUE** and **Statement** -II is the correct explanation of **STATEMENT** - I
- B) Both the statements are **TRUE** and **Statement** -II is not the correct explantion of Statement -I
- C) Statement -I is **TRUE** and Statement -II is **FALSE**
- D) Statement -Iis **FALSE** and Statement -II is **TRUE**
- 12. : Magnesium Hydroxide is used an antacid Statement I
 - Statement II : It cures indigestion by neutralising excess acid in the stomach

Answer:A

Solution: Statement I: Magnesium hydroxide is used as an antacid — True.

Statement II: It neutralizes excess hydrochloric acid in the stomach to cure indigestion — True and correctly explains Statement I

Comprehension type:

Sodium hydroxide is a base .Formula is NaOH and commomnly called caustic soda.

- 13. Caustic soda is
 - 1) NaOH
- 2) KOH
- 3) NH₄OH
- 4) Ca(OH)

Answer:1

Solution: "Caustic soda" is the common name for Sodium Hydroxide (NaOH).

- 14. Caustic soda used in
 - 1) Used to make soap

2) Used to make paper

3) Drain pipe cleaner

4) All

Answer:4

Solution: Caustic soda is

Used to make soap

Used to make paper

Drain pipe cleaner (dissolves organic blockages)

Matrix Matching Type:

- 15. a) Slaked line
- 1) $Mg(OH)_{o}$
- b) Baking soda
- 2) NaHCO₂
- c) Washing soda
- 3) Ca(OH)₂
- d) Milk of magnesia
- 4) Na₂CO₃

Answer:a-3, b-2, c-4, d-1

Solution:

- a) Slaked line
- 3) Ca(OH)₂
- b) Baking soda
- 2) NaHCO₂
- c) Washing soda d) Milk of magnesia
- 4) Na₂CO₃ 1) $Mg(OH)_{o}$

LEARNERS TASK

JEE MAINS LEVEL QUESTIONS

1. $2Al(OH)_3 \xrightarrow{\Delta}$

- 1) Al₂O₃+H₂O 2) Al₂+O₂ 3) AlO₃+H₂O 4) AlO+O₂

Answer:1

Solution: Decomposes to aluminum oxide and water: $2Al(OH)_3 \rightarrow Al_2O_3 + 3H_2O_3$

2. $NaOH + CO_2 \rightarrow ?$ (FA & SA- 5 Marks/8 Marks)

- 1) Carbonate
- 2) Bicarbonate
- 3) Oxide
- 4) none

Answer:1,2

Solution: The reaction product of NaOH+CO $_2$ is primarily sodium carbonate Na $_2$ CO $_3$ when there is sufficient sodium hydroxide present. The balanced equation for this reaction is: $2\text{NaOH} + \text{CO}_2 \rightarrow \text{Na}_2\text{CO}_3 + \text{H}_2\text{O}$

If carbon dioxide is in excess or the NaOHsolution is very dilute, sodium bicarbonate NaHCO₃ can be formed: NaOH+CO₂ → NaHCO₃

3. Bleaching powder prepared from

A) Ca(OH)₂

B) NaOH

C) KOH

D) NH₄OH

Answer:1

Solution:Bleaching powder prepared from Ca(OH), with Cl,

4. Acids reacts bases forms

A) Salts

B) Carbonates

C) Oxides

D) Hydroxides

Answer:1

Solution: Acids react with bases to form Salts and water.

5. Bases in methyl orange solution turns (FA & SA- 2 Marks)

A) Brown

B) Yellow

C) Pink

D) Blue

Answer:2

Solution:Bases in methyl orange solution turn Yellow.

6. $Al(OH)_2 + H_2SO_4 \rightarrow ?$

A) $Al_{2}(SO_{4})_{3}+H_{2}O$ B) $Al_{3}(SO_{4})_{2}+H_{2}O$ C) $Al_{2}O_{3}+H_{2}O$ D) $AlO+H_{2}O$

Answer:1

Solution: $2Al(OH)_3 + 3H_2 SO_4 \rightarrow Al_2(SO_4)_3 + 6H_2 O$

7. Sodium carbonate used in the

A) Softening hard water

B) hardering water

C) Antacid

D) Soap manufacture

Answer:1,4

Solution: Sodium carbonate has various industrial uses, including in the manufacture of glass, paper, and soaps/detergents as an ingredient or water softener.

 $Ca(OH)_2 \xrightarrow{heat} ?$ 8.

A) CaO+H₂O B) Ca+H₂O C) CaOH+O₂ D) CaO₂+H₂O

Answer:1

Solution: $Ca(OH)_2 \rightarrow CaO + H_2O$

9. Baking soda used in the

(FA & SA- 3Marks/4 Marks)

A) Antacid

B) Rayon preparation

C) Cure indigestion

D) Cooking

Answer: 1, 3, 4

Solution: Baking soda used in Antacid, Cure indigestion, Cooking.

10. Bases in prenolphthalin solution 1) Yellow

2) Pink

3) Brown

4) Red

Answer:2

Solution:Bases in phenolphthalein solution is Pink.

JEE ADVANCED LEVEL QUESTIONS

Multi Correct Answer Type

- 11. Bases which will not decompose on strong heating also
 - 1) NaOH
- 2) KOH
- 3) Ca(OH)
- 4) Al(OH),

Answer:1,2

Solution:NaOH and KOH are strong alkalis that are stable to heat and do not decompose even on strong heating

Statement Type:

- A) Both the statements ar **TRUE** and **Statement -II** is the correct explanation of **STATEMENT -** I
- B) Both the statements are **TRUE** and **Statement -II** is not the correct explantion of Statement -I
- C) Statement -I is TRUE and Statement -II is FALSE
- D) Statement Iis FALSE and Statement II is TRUE
- 12. **Statement I** : All bases decompose on heating to form their oxides and water.
 - **Statement II** : $Ca(OH)_2 \xrightarrow{heat} CaO + H_2O$

Answer:D

Solution:Statement I: Incorrect in general — Not all bases decompose on heating.

Strong alkalis like NaOH and KOH do not decompose even on strong heating. So this statement is FALSE

Statement II: Correct

$$Ca(OH)_2 \xrightarrow{heat} CaO + H_2O$$

Comprehension type:

Potassium hydroxide is an base with the formula KOH and commonly called caustic potash.

- 13. The compound which is colourless and odourless in its solid state?
 - 1) KOH
- 2) NaOH
- 3) NH₄OH
- 4) None

Answer:1,2

Solution:Both potassium hydroxide (KOH) and sodium hydroxide (NaOH) are colorless/white and odorless in their solid states.

- 14. Which of the following is used to study the identifying colors of mushrooms?
 - 1) NaOH
- 2) NH₄OH
- 3) Ca(OH)₂
- 4) KOH

Answer:4

Solution:Potassium hydroxide (KOH) is commonly used in mycology (study of fungi) to test and identify mushroom species, as it produces characteristic color changes on the mushroom tissues.

Matrix Matching Type:

15. Column-I

- Column-I
- a) Acid + Base
- b) KOH on heat
- c) Ammonium salt
- d) KOH + CO₂
- 1) NH₃Gas
- 2) Salt + H₂O
- 3) No reaction
- 4) $K_2CO_3 + H_2O$

Answer:a-2, b-3, c-1, d-4

Solution:

- a) Acid + Base
- b) KOH on heat
- c) Ammonium salt
- d) $KOH + CO_2$
- 2) Salt + H₂O
- 3) No reaction
- 1) NH₃Gas
- 4) $K_2CO_3 + H_2O$

KEY

WORKSHEET BASED ALKALI / BASE PRO						RTIES & US	ES		
			TEACHING	TASK					
			JEE MAINS	EE MAINS LEVEL QUESTIONS					
1	. 2	3	4	5	6	7	8	9	10
3	2	1	2	2	1	1	2	1	3
			JEE ADVAI	NCED LEVE	L QUESTIO	NS			
11	. 12	13	14	15					
1,2	Α	4	D	a-3, b-2, c	:4, d1				
			LEARNERS	ARNERS TASK					
			JEE MAINS	JEE MAINS LEVEL QUESTIONS					
1	. 2	3	4	5	6	7	8	9	10
1	1,2	1	2	2	1	1,4	1	1,3,4	2
			JEE ADVAI	IEE ADVANCED LEVEL QUESTIONS					
11	12	13	14	15					
1,2	D	1,2	4	a–2, b–3, c	:-1, d-4				



